

OFFICE OF FISCAL ANALYSIS

Legislative Office Building, Room 5200
Hartford, CT 06106 ◇ (860) 240-0200
<http://www.cga.ct.gov/ofa>

sHB-7200

AN ACT CONCERNING BLEEDING CONTROL TRAINING AND KITS.

As Amended by House "A" (LCO 10399)

House Calendar No.: 305

Senate Calendar No.: 611

OFA Fiscal Note

State Impact: None

Municipal Impact:

Municipalities	Effect	FY 26 \$	FY 27 \$
All Municipalities	Potential Cost	See Below	See Below

Explanation

The bill allows the Department of Public Health (DPH) to work with health districts to install bleeding control kits in public buildings, resulting in a potential cost to municipalities beginning in FY 26 to the extent that any bleeding control kits installed are not provided by DPH or private donation. A municipality that chooses not to participate in the program will incur no fiscal impact.

The bill also allows the Department of Emergency Services and Public Protection to administer a bleeding control trainer qualification program, which results in no fiscal impact to the state because it is anticipated that the department will be able to partner with a nonprofit organization to provide this training at no cost.

House "A" strikes the underlying bill and its associated fiscal impact.

The Out Years

Primary Analyst: RP
Contributing Analyst(s):
Reviewer: PR

7/2/25

The annualized ongoing fiscal impact identified above would continue into the future subject to the number of bleeding control kits installed.

The preceding Fiscal Impact statement is prepared for the benefit of the members of the General Assembly, solely for the purposes of information, summarization and explanation and does not represent the intent of the General Assembly or either chamber thereof for any purpose. In general, fiscal impacts are based upon a variety of informational sources, including the analyst's professional knowledge. Whenever applicable, agency data is consulted as part of the analysis, however final products do not necessarily reflect an assessment from any specific department.