


Teen Fatality

All Causes Fatality Rate, Youth 15 - 19 Years, Connecticut



Overweight and Obesity


Percentage of CT and US high school students who were overweight or obese by sex and race/ethnicity



Source: 2013 CT and National YRBS


Felt Sad or Hopeless

Percentage of CT and US high school students who felt sad or hopeless in the past 12 months by sex and race/ethnicity



Source: 2013 CT and National YRBS

Seriously Considered Suicide




Source: 2013 CT and National YRBS


Dental Caries

Decay Experience	2007	2011
Head Start (3-5y)	31%	19%
Kindergarten	27%	29%
Third Grade	41%	40%

- **Third Grade children decay experience (2011)**
 - Non-Hispanic White – **33%**
 - Non-Hispanic Black – **50%**
 - Hispanic – **50%**




Five or More Drinks in a Row



Source: CT and National YRBS

Drug Use

Percentage of CT and US high school students who used illicit drugs[†] one or more times during their life by year




[†]Lifetime use of cocaine, heroin, methamphetamines, or ecstasy

Source: CT and National YRBS


Current Cigarette Smoking

Percentage of CT and US high school students who
smoked cigarettes on one or more of the past 30 days
by year



Teen Births

Birth Rate to Teen Mothers (15-19y) by Race/Ethnicity, Connecticut, 2000-2011



Note: All racial groups are non-Hispanic.

* Indicates estimated annual percent change trends that were significant within each racial or ethnic group (p<0.05)

Uninsured Children

Uninsured Children and Youth Ages 6-17

