IICAPS: Fulfilling the Promise

Presentation to the BHP Oversight Council

April 9, 2014

IICAPS Purpose

Improve child functioning & problem severity

 Reduce/prevent days spent in psychiatric hospitals for children and adolescents with severe emotional disturbances

 Reduce utilization of hospital EDs for assessment and management of behavioral crises amongst children and adolescents IICAPS Network: Evaluation Data for July 2011 thru June 2013

• N = 4070 closed cases

Treatment Completion = 2814 (69.1%)

 Positive outcomes consistent with years of evaluation data

Ohio Scales Problem Severity: Paired T-test, IICAPS Intake and Discharge (Treatment Completers, FY1112 – FY1213)



Proportional Decrease, Parent Report: Proportional Decrease, Youth Report: Proportional Decrease, Worker Report: 11.7% (p<.0001) 8.7% (p<.0001) 11.9% (p<.0001)

Ohio Scales Functioning: Paired T-test, IICAPS Intake and Discharge (Treatment Completers, FY1112 – FY1213)



Proportional Decrease, Parent Report: Proportional Decrease, Youth Report: Proportional Decrease, Worker Report: 11.3% (p<.0001) 7.0% (p<.0001) 12.4% (p<.0001)

Service Utilization: # of Patients w/Treatment Event (Treatment Completers, FY1112 – FY1213)



Proportional Decrease, Patients w/Psychiatric Inpatient Admission: 54.0% Proportional Decrease, Patients w/ED Visit: 36.0%

Service Utilization: Total Days, Psychiatric Inpt Stay (Treatment Completers, FY1112 – FY1213)



Proportional Decrease, Days in Psychiatric Inpatient Stay: 69.2%

IICAPS Summary: Evaluation Results in Last 2 Years

- Statistically and clinically significant improvements in:
 - Symptom severity
 - Functioning
- Statistically and clinically significant decreases in:
 - Psychiatric hospitalization admissions and days
 - ED visits for psychiatric reasons

Family Health and Development Project (FHDP)

• Randomized controlled trial:

 IICAPS vs. Home-based Child Treatment Coordination, each a 6-7 month delivery of service

• 12-month study:

- Three home-based research interviews with parent/legal guardian: baseline, study treatment discharge, 12 months; monthly phone interviews
- Primary outcomes: psychiatric hospitalization and out-ofcontrol behavior
- Study End Date = June 2015, Data Analysis completed December 2015